




**The Look of Wood.
The Strength of Steel.**

Introducing our simulated wood grain steel doors


Finishes offered for GenBuilt™ and GenGuard™ Doors

Orders may be subject to minimum quantities - for more details please contact our sales office



American Douglas

DS716-1501/02




American Maple

DS733-1102/01



Chestnut

DS733-1301/01



European Cherry

DS716-1406/01



Knotty Pine

DS716-2103/01




Maple Birch

DS705-99244/203




National Walnut

DS733-1806/02



Oak Fine Line

DS716-2502/01



Rosewood

DS733-99097/201



Teak

DS716-2601/01

Finishes offered for GenBossed™ Doors

Orders may be subject to minimum quantities - for more details please contact our sales office



Acacia Fine Line

DS733-1001/01



European Cherry

DS716-1406/01



Knotty Pine

DS716-2103/01



National Walnut

DS733-1806/02



Oak

DS716-2301/02

GENSTEEL DOORS - Wood Grain Specifications

- Wood grain pre-finished steel doors shall be manufactured by Gensteel Doors Inc.
- Doors shall be manufactured using 20, 18, 16, or 14 gage galvanized steel for corrosion resistance.
- Doors shall be available as single or pair of doors with or without fire resistance rating.
- Wood grain finishing shall be applied using a 3 step proprietary process consisting of an initial pre-treatment of the substrate, followed by a powder coat paint application, and ultimately a wood grain texture sublimation applied using a combination of heat and pressure creating the wood grain finish.

Due to the natural characteristics of these finishes, variations in color, tone and grain should be expected. Please be sure to ask a representative for a physical sample prior to any final decision.

Gensteel Powder Coating

In addition to decorative finishing, we also offer an unlimited choice of powder coating options. Our procedures comply with the very strict standards of AAMA (American Architectural Manufacturers Association) certifications and our innovative, material-specific pre-treatment process is one of the most environmentally friendly systems available today.

Powder coating is the electrostatic application of organic powders. This method of painting allows for a more consistent and durable finish. Our unrivaled dedication to quality control is what allows us to guarantee a product that meets among the highest architectural standards in the construction industry.



Head Office – 4950 Hickmore, St-Laurent, QC, Canada H4T 1K6
1-866-GENSTEEL (436-7833) www.gensteeldoors.com

Gensteel Doors Ontario – Cornwall, Ontario, Canada
North American Door Corp. – Plattsburgh, New York, USA
Gensteel Doors USA – Atlanta, Georgia, USA

 **gensteel****DOORS**
Tough to the core™

Powder Coating Stock Colors



Beige RAL 1001



Traffic Red RAL 3020



Ultramarine Blue RAL 5002



Silver Grey RAL 7001




Nut Brown RAL 8011



Chocolate Brown RAL 8017



Orange Brown RAL 8023



Signal White RAL 9003



Jet Black RAL 9005



Grey Aluminum RAL 9007

Due to the printing process, colors shown are approximate and as close as possible to the actual color.

Head Office – 4950 Hickmore, St-Laurent, QC, Canada H4T 1K6
1-866-GENSTEEL (436-7833) www.gensteeldoors.com

Gensteel Doors Ontario – Cornwall, Ontario, Canada
Gensteel Doors USA – Madison, Georgia, USA